



Cad Cut Films	1 to 4m	5 to 9m	10 to 24m	+25m
Premium PU	£5.25	£4.95	£4.65	£3.95
Premium PU (Neon Colours)	£5.85	£5.65	£5.25	£4.55
Glitter	£7.45	£7.25	£6.95	£6.45
Glitter (White & Holographic)	£8.45	£8.25	£7.95	£7.45
Glitter (Neon Colours)	£8.95	£8.75	£8.45	£7.95

Cad Cut Films	1 to 4m	5 to 24m	+25m
Metallic	£4.95	£4.75	£4.25
Holographic	£4.95	£4.75	£4.25
Stretch Metallic	£5.95	£5.45	£4.95
Flock	£7.75	£7.45	£6.95
Sublimation Block Out PU	£6.25	£6.00	£5.75
Reflective	£8.45	£8.25	£7.75
Luminous (Glow in the Dark)	£10.95	£10.45	£9.95

Prntable (Digital) Films	1 to 4m	5 to 24m	+25m
Printable PU 500mm	£4.95	£4.65	£4.25
Printable PU 750mm	N/A	N/A	£6.25
Printable PU 1,000mm	N/A	N/A	£8.45
Printable PU Block Out	£6.95	£6.75	£6.45
Printable Glitter	£8.95	£8.45	£7.95
Printable Luminous PU	£8.95	£8.45	£7.95
Application Tape	£1.50	N/A	£1.35

Infinity Print by the metre

Infinity Print PU	£12.95
Infinity Print Glitter	£15.95

All prices shown are per linear metre, and exclude 20% VAT.

All rolls are 500mm wide unless stated.

FREE CARRIAGE for all orders over £98.50 ex VAT

Effective 21/01/2018

Application guidelines can be found on the reverse

FILM TYPE	FILM THICKNESS (Microns)	OVERALL FILM THICKNESS with Hot Melt (Microns)	TOLERANCE	Or				
Metallic	33	83	±11	Cut the image in reverse	140°C to 150°C	Medium even pressure	10 to 15 seconds	Warm peel
Holographic	40	90	±11					
Premium PU (Standard Colours)	34	94	±12	Cut the image in reverse	150°C to 160°C	Medium even pressure	10 to 15 seconds	Hot / Warm / Cold peel
Premium PU (Neon Colours)	44	104	±12					
Block Out PU	80	140	±12					
Flock	390	450	±150	Cut the image in reverse	150°C to 160°C	Medium even pressure	10 to 15 seconds	Warm peel
Luminous	85	155	±33					
Glitter (Standard Colours)	300	340	±50	Cut the image in reverse	160°C to 170°C	Medium even pressure	15 to 20 seconds	Hot peel
Glitter (Neon & White Colours)	300	360	±50					
Reflective	100	160	±15	Cut the image in reverse	150° to 160°C	Medium even pressure	10 to 15 seconds	Cool peel
Stretch Metallic	3	63	±8.5	Cut the image in reverse	150° to 160°C	Medium even pressure	10 to 15 seconds	Hot / Warm / Cold peel, then press directly onto the transfer for 5 seconds
Infinity Print PU	30	90	±15	Cut directly on to the film	150°C to 160°C	Medium even pressure	10 to 15 seconds	Hot / Warm / Cold peel
Infinity Print Glitter	300	380	±50	Cut directly on to the film	160°C to 170°C	Medium even pressure	15 to 20seconds	Hot / Warm / Cold peel
Printable PU (All)	30	90	±15	Print & Cut directly onto the film	150°C to 160°C	Medium even pressure	10 to 15 seconds	Hot / Warm / Cold peel
Printable Block Out PU	80	140	±15					
Printable Luminous	85	155	±33	Print & Cut directly onto the film	150°C to 160°C	Medium even pressure	10 to 15 seconds	Warm peel
Printable Glitter	300	380	±50	Print & Cut directly onto the film	160°C to 170°C	Medium even pressure	15 to 20 seconds	Hot / Warm / Cold peel